



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Jaipur Branch Office-II

Address: ManakBhawan
Prithviraj Road, C-Scheme,
Jaipur-302005

Phones : 0141-2223282, 2223283

Fax: 0141-2223281

e-mail: jpbo-2@bis.gov.in

<http://www.bis.gov.in>

web : www.manakonline.in

REGD. AD

Our Ref: CM/L-8600122310

Date : 01/03/24

Subject: Grant of BIS Product Certification Licence No. 8600122310 as IS 7098 : PART 1:1988

M/s Bonson Electrical Industries India Private Limited
PLOT No. E-41 C, RIICO INDUSTRIAL AREA, KHUSHKHERA, TIJARA
District- ALWAR
Rajasthan-301707

Dear Madam(s)/Sir(s),

1. With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:-

Product: Crosslinked polyethylene insulated PVC sheathed cables: Part 1 For working voltage upto and including 1100 V

Varieties: Crosslinked Polyethylene Insulated, Thermoplastic Sheathed Cables for electric supply and control purposes, Armoured/Unarmoured, with Aluminium/Copper Conductor, Class 1/2, Category 01, except for use in Mines, excluding/including Low Temperature Applications, for working Voltages up to and including 1100 V, for the following varieties: Multi-core upto and including 4 Cores, Sizes upto and including 95 mm.

IS No.: 7098 : PART 1:1988

2. The number assigned to this Licence is CM/L-8600122310 which has been made operative from 28-01-2024 and is valid up to 27-01-2025 The licence number shall invariably be referred to in your future correspondence.

3. The licence is granted on the explicit condition that you shall mark entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. Accordingly, you shall cover the entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. In addition, you shall display the BIS product certification licence held by you prominently at your premises and also mention the BIS product certification licence held by you in your commercial advertisements.

4. According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you with effect from 28-01-2024 for the period of validity of the licence in advance.

5. Minimum Marking fee stipulated under Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark.

6. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.

7. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

8. The Scheme of Inspection and Testing (SIT) submitted by you and agreed by BIS or the Scheme of Inspection and Testing as specified by BIS will have to be implemented by your organisation strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organisation. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

9. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

10. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

11. This licence is granted for your manufacturing premises situated at **PLOT No. E-41 C, RIICO INDUSTRIAL AREA, KHUSHKHERA, TIJARA District- ALWAR Rajasthan-301707**. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

12. You are also advised to make yourself and other employees in your organization aware about the provisions of the BIS Act, 2016 and Rules and Regulations framed thereunder especially the implication in case of any intentional or unintentional non-adherence.

13. It may be noted that this licence is granted based on undertaking that in the event of non-conformity of the sample in long duration test (s) or your inability to submit the test report immediately but not later than 30 days (one month) from the date of test report confirmed by the laboratory, the licence shall be processed for cancellation. (Applicable for GOL with undertaking for long duration test).

14. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on **23-01-2024** by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation.

15. The Original Licence document is enclosed for your reference and record.

Thanking you,

Yours faithfully,


(कनिका कालिया)
निदेशक एवं प्रमुख

Encl: As above

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS



मानक चिन्ह लगाने की अनुज्ञप्ति (लाइसेंस)
Licence for the use of STANDARD MARK

अनुज्ञप्ति (लाइसेंस) सं. सीएम/एल- 8600122310
Licence No. CM/L- 8600122310

1. यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मैसर्स- बोन्सन इलेक्ट्रिकल इंडस्ट्रीज इंडिया प्राइवेट लिमिटेड

प्लॉट नंबर ई-41 सी, रीको इंडस्ट्रियल एरिया, खुशखेड़ा, तिजारा

जिला-अलवर

राजस्थान-301707

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है), इसकी अनुसूची के पहले कालम में दिखाए गए मानक चिन्ह का उपयोग करने को अनुज्ञप्ति (लाइसेंस) प्रदान करता है। इस मानक चिन्ह का उपयोग ऐसी वस्तु पर/प्रसंस्करण के संबंध में किया जायेगा जिसका उल्लेख इसकी उक्त अनुसूची के तीसरे कालम में किया गया है। वह वस्तु/प्रसंस्करण उक्त अनुसूची के दूसरे कालम में उल्लिखित संबंधित भारतीय मानक के अनुसार विनिर्मित होगी/के अनुरूप होगा।

1. By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/s Bonson Electrical Industries India Private Limited
PLOT No. E-41 C, RIICO INDUSTRIAL AREA, KHUSHKHERA, TIJARA
District- ALWAR
Rajasthan-301707

(hereinafter called 'the Licensee) this Licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2 इस अनुज्ञप्ति (लाइसेंस) के साथ वे बाध्यताएँ हैं जो अनुज्ञप्तिधारी के लिए लाइसेंस की शर्तों के रूप में हैं। यह लाइसेंस नाम, फैक्ट्री का पता एवं अनुसूची में उल्लिखित अवधि के लिए वैध होगा तथा योजना में निर्दिष्ट अनुसार नवीनीकरण होगा।

2. This Licence carries obligations on part of the licensee as conditions of licence. This licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as prescribed in the scheme-I.


अनुसूची
SCHEDULE

लाइसेंस नं. सीएम/एल-8600122310 के अंतर्गत फैक्ट्री के विवरण एवं स्कोप की अनुसूची
Schedule of Factory details and scope under Licence No.CM/L-8600122310

नाम : मैसर्स बोन्सन इलेक्ट्रिकल इंडस्ट्रीज इंडिया प्राइवेट लिमिटेड
Name: M/s Bonson Electrical Industries India Private Limited

फैक्ट्री का पता: प्लॉट नंबर ई-41 सी, रीको इंडस्ट्रियल एरिया, खुशखेड़ा, तिजारा जिला-अलवर राजस्थान-301707
Factory Address : PLOT No. E-41 C, RIICO INDUSTRIAL AREA, KHUSHKHERA, TIJARA District-ALWAR
Rajasthan-301707

वैधता : 28-01-2024 से 27-01-2025 तक
Validity: from 28-01-2024 to 27-01-2025

मानक चिन्ह Standard Mark	भारतीय मानक Indian Standard	लाइसेंस का स्कोप Scope of Licence	मुहरांकन फीस Marking Fee
(1)	(2)	(3)	(4)
7098 : PART 1:1988  CM/L- 8600122310	आईएस 7098 : PART 1:1988 IS 7098 : PART 1:1988 Crosslinked polyethylene insulated PVC sheathed cables: Part 1 For working voltage upto and including 1100 V	Varieties : Crosslinked Polyethylene Insulated, Thermoplastic Sheathed Cables for electric supply and control purposes, Armoured/Unarmoured, with Aluminium/Copper Conductor, Class 1/2, Category 01, except for use in Mines, excluding/including Low Temperature Applications, for working Voltages up to and including 1100 V, for the following varieties: Multi-core upto and including 4 Cores, Sizes upto and including 95 mm.	एक वर्ष की प्रचालन अवधि के दौरान छोटे पैमाने के लिए न्यूनतम मुहरांकन फीस 103000.00 के साथ सभी इकाईयों के लिए ₹ 12.00 प्रति इकाई Rs 12.00 per unit for all units with a Minimum Marking Fee of Rs. 103000.00 for small scale during an operative period of one year Unit- Small यूनिट- स्मॉल इकाई: 100 एम Unit: 100 M न्यूनतम फीस अग्रिम देय होगी और यह फीस अगले नवीनीकरण (नवीकरणों) के लिए जमा रहेगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज दो हजार चौबीस के माच मास के पहल दिन हस्ताक्षरित एवं मुद्रांकित

Signed, Sealed and Dated this first day of March month of Two Thousand Twenty four.


(कनिका कालिया)
निदेशक एवं प्रमुख
कृते भारतीय मानक ब्यूरो
for BUREAU OF INDIAN STANDARDS

उपाबंध

(अनुज्ञप्ति सं. सीएम/एल 8600114513)

अनुज्ञप्ति की शर्तें

- (1) मानक चिन्ह का डिजाइन अनुज्ञप्ति में दी गई गई प्रतिकृति के आनुषंगिक होगा।
- (2) मानक चिन्ह के फोटोग्राफिक विस्तार अथवा लघुकरण का उपयोग भी किया जा सकता है, जब तक ब्यूरो द्वारा कोई अन्य विनिर्दिष्ट न दिए गए हों।
- (3) अनुज्ञप्तिधारी उस संबद्ध माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा की भारतीय मानक के अनुसार अनुरूपता के लिए उत्तरदायी होगा जिसके लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग किया गया है।
- (4) अनुज्ञप्तिधारी उस माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा के लिए मानक चिन्ह का उपयोग नहीं करेगा जो गैर-अनुरूप अथवा अनुज्ञप्ति के विषय-क्षेत्र से बाहर हैं।
- (5) जिस माल और वस्तुओं के लिए मानक चिन्ह का उपयोग किया गया है अगर वे संबद्ध मानक की अपेक्षाओं के अनुरूप नहीं हैं, तो ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को ऐसे गैर-अनुरूपता वाले माल को वापिस लेने का निदेश दे सकता है।
- (6) अनुज्ञप्ति के आस्थगन अथवा निलंबन के दौरान अथवा उसकी समाप्ति अथवा रद्द होने के पश्चात् किसी संबद्ध माल, वस्तु, प्रक्रिया, उपयोग अथवा सेवा के लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग नहीं किया जाएगा।
- (7) अनुज्ञप्तिधारी को उस अनुरूपता आकलन योजना के उपाबंधों का पालन करना होगा जिसके अंतर्गत उसे अनुज्ञप्ति प्रदान किया गया है, जिसमें लेबलिंग और चिन्हांकन अपेक्षाएं भी शामिल हैं।
- (8) अनुज्ञप्तिधारी ब्यूरो द्वारा समय-समय पर यथा विनिर्दिष्ट अभिलेख अनुरक्षित रखेगा।
- (9) अनुज्ञप्तिधारी अपने परिसरों में निरीक्षण अथवा लेखापरीक्षा करने से संबंधित सभी प्रकार की सहायता ब्यूरो को उपलब्ध कराएगा।
- (10) अनुज्ञप्तिधारी उत्पाद और मानक चिन्ह के उपयोग अथवा अनुप्रयोग से संबंधित जानकारी जब अपेक्षा ब्यूरो को प्रदान करेगा।
- (11) यदि माल अथवा वस्तुओं पर मानक चिन्ह का उपयोग अथवा अनुप्रयोग के लिए अनुज्ञप्ति प्रदान किया गया हो तो अनुज्ञप्तिधारी को उन परेषितो, वितरकों, व्यापारी अथवा फुटकर विक्रेता की सूची देनी होगी, जिनको मानक चिन्ह वाले माल अथवा वस्तुओं की आपूर्ति की गई है।
- (12) ब्यूरो के अनुमोदन के बिना अनुज्ञप्ति किसी व्यक्ति को अंतरित नहीं किया जाएगा।
- (13) मानक चिन्ह वाले किसी माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा से संबंधित शिकायत प्रमाणित होने पर ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को मानक मुहरांकित माल और वस्तुओं की मरम्मत अथवा बदलने अथवा पुनर्निर्माण के निर्देश दे सकता है।
- (14) अनुज्ञप्तिधारी को कम से कम एक माह के नोटिस दे कर ब्यूरो, अनुज्ञप्ति की किसी शर्त को संशोधन का अधिकार रखता है।

अनुबंध -II

(योजना-I का अनुच्छेद 6 का उप-अनुच्छेद (1) देखें)

मानक मुहर

मानक मुहर हेतु मोनोग्राम का डिजाइन

